

THEORETICAL AND APPLIED GENETICS

**International Journal
of Plant Breeding Research**

Volume 93 · 1996

MANAGING EDITOR

G. Wenzel, Freising

EDITORIAL BOARD

L. Alföldi, Szeged
H. C. Becker, Göttingen
J. S. Beckmann, Paris
B. S. Gill, Manhattan, KS
Yu. Gleba, Princeton, NJ
K. Glimelius, Uppsala
R. Hagemann, Halle/S.
G. E. Hart, College Station, TX
A. L. Kahler, Brookings, SD
M. Koornneef, HA Wageningen

H. F. Linskens, Heidelberg
F. Mechelke, Stuttgart
G. Melchers, Tübingen
P. L. Pfahler, Gainesville, FL
I. Potrykus, Zürich
D. R. Pring, Gainesville, FL
F. Salamini, Köln-Vogelsang
J. W. Snape, Norwich
P. M. A. Tigerstedt, Helsinki



Springer

Founded in 1929 as "Der Züchter", a German journal for theoretical and applied genetics. In 1966 its direction changed from national to international and from plant breeding to genetics and breeding research. The title changed in 1968 to "Theoretical and Applied Genetics". Edited by H. Stubbe from 1946 to 1976, by H. F. Linskens 1977 to 1987 and by G. Wenzel from 1988

TAG will publish original articles in the following areas:

- Genetic and physiological fundamentals of plant breeding
- Applications of plant biotechnology
- Theoretical considerations in combination with experimental data

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, pro-

vided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

The Canada Institute for Scientific and Technical Information (CISTI) provides a comprehensive, world-wide document delivery service for all Springer-Verlag journals. For more information, or to place an order for copyright-cleared Springer-Verlag documents, please contact Client Assistant Document Delivery, CISTI, Ottawa, K1A 0S2, Canada (Tel: 613-993-9251; Fax: 613-952-8243; e-mail: cisti.docdel@nrc.ca).

This journal is included in the Springer Journals Preview Service, i.e. the tables of contents and BiblioAbstracts are available via Internet several weeks before the new issue reaches the subscribers. Tables of contents are free of charge; BiblioAbstracts are available for a small annual fee. Details can be obtained by sending an e-mail message containing the line help to svjps@springer.de

Typesetting

Graphischer Betrieb K. Triltsch, Würzburg, Germany
Thomson Press (India) Ltd., New Delhi

Printing and bookbinding

Graphischer Betrieb K. Triltsch, Würzburg, Germany

© Springer-Verlag
Berlin Heidelberg 1996
Springer-Verlag GmbH & Co. KG, Berlin, Germany
Printed in Germany



Springer

No. 1-2, pp.	1-300	published in July 1996
No. 3, pp.	301-476	published in August 1996
No. 4, pp.	477-648	published in September 1996
No. 5-6, pp.	649-1010	published in October 1996
No. 7, pp.	1011-1184	published in November 1996
No. 8, pp.	1185-1342	published in December 1996

Abbott DC → Brown AHD	Barret P → Jourden C	SSCP fragments in pedunculate oak (<i>Quercus robur</i> L.) 348
Abenes MLP → Zhang G	Barros LMG → Aragão FJL	Boerjan W → Cervera MT
Ahmad M, McNeil DL: Comparison of crossability, RAPD, SDS-PAGE and morphological markers for revealing genetic relationships within and among <i>Lens</i> species 788	Bassett HCM → Gardiner SE	Boerma HR → Lee SH
Akagi H, Yokozeki Y, Inagaki A, Fujimura T: Microsatellite DNA markers for rice chromosomes 1071	Bastiaanssen HJM, Ramanna MS, Sawor Z, Mincione A, v d Steen A, Jacobsen E: Pollen markers for gene-centromere mapping in diploid potato 1040	Boerma HR → Mian MAR
Allen RL → Laurie DA	Battle I, Alston FH: Genes determining leucine aminopeptidase and mildew resistance from the ornamental apple, 'White Angel' 179	Bohuon EJ, Keith DJ, Parkin IAP, Sharpe AG, Lydiate DJ: Alignment of the conserved C genomes of <i>Brassica oleracea</i> and <i>Brassica napus</i> 833
Alston FH → Battle I	Baudracco-Arnas S, Pitrat M: A genetic map of melon (<i>Cucumis melo</i> L.) with RFLP, RAPD, isozyme, disease resistance and morphological markers 57	Bonierbale MW → van den Berg JH
Ambrose MJ → Lu J	Beaumont VH, Mantet J, Rocheford TR, Widholm JM: Comparison of RAPD and RFLP markers for mapping F ₂ generations in maize (<i>Zea mays</i> L.) 606	Bonman JM → Yu ZH
Angeles ER → Zhang G	Bebeli PJ → Somers DJ	Brandes A → Houben A
Anthony F → Lashermes P	Becerra-Velásquez VL → Warburton ML	Brasileiro ACM → Aragão FJL
Aragão FJL, Barros LMG, Brasileiro ACM, Ribeiro SG, Smith FD, Sanford JC, Faria JC, Rech EL: Inheritance of foreign genes in transgenic bean (<i>Phaseolus vulgaris</i> L.) co-transformed via particle bombardment 142	Belay G → Tsegaye S	Bronson M → Inukai T
Arcade A, Faivre-Rampant P, Le Guerroué B, Pâques LE, Prat D: Heterozygosity and hybrid performance in larch 1274	Belhassen E → Cuéllar T	Brown AHD, Garvin DF, Burdon JJ, Abbott DC, Read BJ: The effect of combining scald resistance genes on disease levels' yield and quality traits in barley 361
Arcioni S → Cluster PD	Bella JL → Cuéllar T	Brown-Guedira GL, Badaeva ED, Gill BS, Cox TS: Chromosome substitutions of <i>Triticum timopheevii</i> in common wheat and some observations on the evolution of polyploid wheat species 1291
Arcioni S → Nenz E	Benito C, Romero MP, Henriques-Gil N, Llorente F, Figueiras AM: Sex influence on recombination frequency in <i>Secale cereale</i> L. 926	Brown JKM → Lu J
Arias DM → Rieseberg LH	Bernard M → Sourdille P	Brown SK → Cheng FS
Aronen TS → Häggman HM	Bernardo R: Testercross additive and dominance effects in best linear unbiased prediction of maize single-cross performance 1098	Brown SM, Hopkins MS, Mitchell SE, Senior ML, Wang TY, Duncan RR, Gonzalez-Candelas F, Kresovich S: Multiple methods for the identification of polymorphic simple sequence repeats (SSRs) in sorghum [<i>Sorghum bicolor</i> (L.) Moench] 190
Ashley DA → Lee SH	Bernardo R, Murigneux A, Karaman Z: Marker-based estimates of identity by descent and likeness in state among maize inbreds 262	Browning S → Lanoue KZ
Ashley DA → Mian MAR	Biyashev RM → Liu Z-W	Bruckner PL → Talbert LE
Asíns MJ → Herrero R	Blake NK → Blake TK	Brunel D → Jourden C
Asíns MJ → Monforte AJ	Blake TK, Kadyrzhanova D, Shepherd KW, Islam RKML, Langridge PL, McDonald CL, Erpelding J, Larson S, Blake NK, Talbert LE: STS-PCR markers appropriate for wheat-barley introgression 826	Bryngelsson T → Lannér C
Åström B → Lascoux M	Blake TK → Larson SR	Burdon JJ → Brown AHD
Azarenko AN → Hampson CR	Blik SM → Szwec-McFadden AK	Bus VG → Gardiner SE
Badaeva ED → Brown-Guedira GL	Bliss FA → Warburton ML	Busch W, Herrmann RG, Hohmann U: Repeated DNA sequences isolated by microdissection. II. Comparative analysis in <i>Hordeum vulgare</i> and <i>Triticum aestivum</i> 164
Baenziger PS → Yen Y	Bodanese-Zanettini MH, Lauxen MS, Richter SNC, Cavalli-Molina S, Lange CE, Wang PJ, Hu CY: Wide hybridization between Brazilian soybean cultivars and wild perennial relatives 703	Buss GR → Maughan PJ
Bailey MA → Lee SH	Boden C, Laigret F, Kremer A: Inheritance and molecular variations of PCR-	
Bailey MA → Mian MAR		
Ball RD → Gardiner SE		
Bar M, Leshem B, Gilboa N, Gidoni D: Visual characterization of recombination at <i>FRT-gusA</i> loci in transgenic tobacco mediated by constitutive expression of the native FLP recombinase 407		
Baranyi M, Greilhuber J, Świącicki WK: Genome size in wild <i>Pisum</i> species 717		
Barker H: Inheritance of resistance to potato viruses Y and A in progeny obtained from potato cultivars containing gene <i>Ry</i> : evidence for a new gene for extreme resistance to PVA 710		
Barret P → Foisset N		

- Carter Jr. TE → Mian MAR
 Castejón-Muñoz M → Katzir N
 Castilho A, Miller TE, Heslop-Harrison JS: Physical mapping of translocation breakpoints in a set of wheat-*Aegilops umbellulata* recombinant lines using in situ hybridization 816
 Cato SA, Richardson TE: Inter- and intra-specific polymorphism at chloroplast SSR loci and the inheritance of plastids in *Pinus radiata* D. Don 587
 Cattivelli L → Crosatti C
 Cavalli-Molina S → Bodanese-Zanettini MH
 Cervera MT, Gusmão J, Steenackers M, Peleman J, Storme V, Vanden Broeck A, Van Montagu M, Boerjan W: Identification of AFLP molecular markers for resistance against *Melampsora larici-populina* in *Populus* 733
 Charcosset A, Gallais A: Estimation of the contribution of quantitative trait loci (QTL) to the variance of a quantitative trait by means of genetic markers 1193
 Charmet G → Sourdille P
 Charrier A → Lashermes P
 Chauvin LP → Fowler DB
 Chen Q, Conner RL, Laroche A: Molecular characterization of *Haynaldia villosa* chromatin in wheat lines carrying resistance to wheat curl mite colonization 679
 Chen Y → Lu C
 Cheng FS, Weeden NF, Brown SK: Identification of co-dominant RAPD markers tightly linked to fruit skin color in apple 222
 Cheng R, Saito A, Takano Y, Ukai Y: Estimation of the position and effect of a lethal factor locus on a molecular marker linkage map 494
 Cluster PD, Calderini O, Pupilli F, Crea F, Damiani F, Arcioni S: The fate of ribosomal genes in three interspecific somatic hybrids of *Medicago sativa*: three different outcomes including the rapid amplification of new spacer-length variants 801
 Coleman GD → Hampson CR
 Colleau JJ → Phocas F
 Combes MC → Lashermes P
 Concibido VC, Young ND, Lange DA, Denny RL, Danesh D, Orf JH: Targeted comparative genome analysis and qualitative mapping of a major partial-resistance gene to the soybean cyst nematode 234
 Conner RL → Chen Q
 Corre F → Hartmann C
 Couturon E → Lashermes P
 Cox TS → Brown-Guedira GL
 Crea F → Cluster PD
 Cregan PB → Katzir N
 Cros J → Lashermes P
 Crosatti C, Nevo E, Stanca AM, Cattivelli L: Genetic analysis of the accumulation of COR14 proteins in wild (*Hordeum spontaneum*) and cultivated (*Hordeum vulgare*) barley 975
 Crouzillat D, Lerceteau E, Petiard V, Moreira J, Rodriguez H, Walker D, Phillips W, Ronning C, Schnell R, Osei J, Fritz P: *Theobroma cacao* L.: a genetic linkage map and quantitative trait loci analysis 205
 Csanádi G → Endre G
 Cuadrado C → Martinez M
 Cubero JJ → Satovic Z
 Cuéllar T, Bella JL, Belhassen E: Intra-individual heterogeneity of rDNA allows the distinction between two closely related species in the Genus *Helianthus* 794
 Cuñado N, Callejas S, García MJ, Fernández A, Santos JL: The pattern of zygotene and pachytene pairing in allotetraploid *Aegilops* species sharing the U genome 1152
 Cuñado N, García MJ, Callejas S, Fernández A, Santos JL: The pattern of zygotene and pachytene pairing in allotetraploid *Aegilops* species sharing the D genome 1175
 Damerval C → Touzet P
 Damiani F → Cluster PD
 Damiani F → Nenz E
 Danesh D → Concibido VC
 Danin-Poleg Y → Katzir N
 Davey MR → Hartmann C
 de Assis Goes da Silva F → Williams CE
 Delourme R → Foisset N
 Delourme R → Jourden C
 Delseny M → Kapila R
 Denis J-B → Robert N
 Denny RL → Concibido VC
 Devaux P → Lefebvre D
 Devos KM → Liu CJ
 Dirks R, Sidorov V, Tulmans C: A new protoplast culture system in *Daucus carota* L. and its applications for mutant selection and transformation 809
 Dirlwanger E, Pascal T, Zuger C, Kervella J: Analysis of molecular markers associated with powdery mildew resistance genes in peach (*Prunus persica* (L.) Batsch) × *Prunus davidiana* hybrids 909
 Dong YS → Zhang XY
 D'Ovidio R, Lafiandra D, Porceddu E: Identification and molecular characterization of a large insertion within the repetitive domain of a high-molecular-weight glutenin subunit gene from hexaploid wheat 1048
 Dubcovsky J → Luo M-C
 Duncan RR → Brown SM
 Dung LV → Inukai T
 Durel C-E → Plomion C
 Dvořák J → Luo M-C
 Ellis RH → Roberts EH
 Ellis THN → Lu J
 Ellis THN → Sharma SK
 Elsen JM → Knott SA
 Elston RC → Wang T
 Endo TR → Yamamori M
 Endre G, Kaló P, Hangyel Tártsy M, Csanádi G, Kiss GB: Reducing the tetra-
 ploid non-nodulating alfalfa (*Medicago sativa*) MnNC-1008(NN) germ plasm to the diploid level 1061
 Erpelding J → Blake TK
 Eshed Y, Gera G, Zamir D: A genome-wide search for wild-species alleles that increase horticultural yield of processing tomatoes 877
 Ewing EE → van den Berg JH
 Faccioli P → Pecchioni N
 Faivre-Rampant P → Arcade A
 Faria JC → Aragão FJL
 Fedak G → Zhang XY
 Fernández A → Cuñado N
 Fernandez PG → Khatiwada SP
 Fernández-Rueda P → Naranjo T
 Fernando RL → Wang T
 Ferrer E → Loare Y
 Figueiras AM → Benito C
 Fischbeck G → Schönfeld M
 Fitter JT, Thomas MR, Rose RJ, Steele-Scott N: Heteroplasmy of the chloroplast genome of *Medicago sativa* L. cv. 'Regen S' confirmed by sequence analysis 685
 Foisset N, Delourme R, Barret P, Hubert N, Landry BS, Renard M: Molecular-mapping analysis in *Brassica napus* using isozyme, RAPD and RFLP markers on a doubled-haploid progeny 1017
 Forster RLS → Gardiner SE
 Fowler DB, Chauvin LP, Limin AE, Sarhan F: The regulatory role of vernalization in the expression of low-temperature-induced genes in wheat and rye 554
 Frew TJ → Timmerman-Vaughan GM
 Fritz P → Crouzillat D
 Fujimura T → Akagi H
 Gale MD → Liu CJ
 Gallais A → Charcosset A
 Ganai MW → Pillen K
 García-Casado G → Sánchez-Monge R
 García MJ → Cuñado N
 Gardiner SE, Bassett HCM, Noiton DAM, Bus VG, Hofstee ME, White AG, Ball RD, Forster RLS, Rikkerink EHA: A detailed linkage map around an apple scab resistance gene demonstrates that two disease resistance classes both carry the *Vf* gene 485
 Garvin DF → Brown AHD
 Gauthier JP → Lasserre F
 Gautier MF → Sourdille P
 Geldermann H → Schild TA
 Gera G → Eshed Y
 Gessler C → Gianfranceschi L
 Ghesquière A → Lorieux M
 Giamoustaris A, Mithen R: Genetics of aliphatic glucosinolates. IV. Side-chain modification in *Brassica oleracea* 1006
 Gianfranceschi L, Koller B, Seglias N, Kellerhals M, Gessler C: Molecular selection in apple for resistance to scab caused by *Venturia inaequalis* 199
 Gidoni D → Bar M
 Gigault F → Lasserre F
 Gilboa N → Bar M

- Gill BS → Brown-Guedira GL
 Glimelius K → Skarzhinskaya M
 Godelle B → Lavigne C
 Goffreda JC → Warburton ML
 Gonzalez-Candelas F → Brown SM
 Gouyon PH → Lavigne C
 Goyal S → Luo M-C
 Graham J, McNicol RJ, McNicol JW: A comparison of methods for the estimation of genetic diversity in strawberry cultivars 402
 Grandclément C, Thomas G: Detection and analysis of QTLs based on RAPD markers for polygenic resistance to *Plasmodiophora brassicae* Woron in *Brassica oleracea* L. 86
 Graner A, Tekauz A: RFLP mapping in barely of a dominant gene conferring resistance to scald (*Rhynchosporium secalis*) 421
 Granger AR: Inheritance and linkage of isozymes in sweet cherry (*Prunus avium* L.) 426
 Greilhuber J → Baranyi M
 Guiderdoni E → Lorieux M
 Guiderdoni E → Yu ZH
 Gullberg U → Lascoux M
 Gullberg U → Rönnberg-Wästljung AC
 Gusmão J → Cervera MT
 Gustafson JP → Somers DJ
 Gustafsson M → Lannér C
 Hadad RG, Pfeiffer TW, Poneleit CG: Repeatability and heritability of divergent recombination frequencies in the Iowa Stiff Stalk Synthetic (*Zea mays* L.) 990
 Häggman HM, Aronen TS, Stomp A-M: Early-flowering Scots pines through tissue culture for accelerating tree breeding 840
 Haley CS → Knott SA
 Haley CS → Visscher PM
 Halldén C, Hansen M, Nilsson N-O, Hjerdin A, Säll T: Competition as a source of errors in RAPD analysis 1185
 Halloran GM → Pang ECK
 Hamilton MB, Rand DM: Relatedness measured by oligonucleotide probe DNA fingerprints and an estimate of the mating system of Sea Lavender (*Limonium carolinianum*) 249
 Hamon S → Lashermes P
 Hampson CR, Coleman GD, Azarenko AN: Does the genome of *Corylus avellana* L. contain sequences homologous to the self-incompatibility gene of *Brassica*? 759
 Han F → Romagosa I
 Hangyel Tártsy M → Endre G
 Hansen M → Halldén C
 Hantke SS → Laurie DA
 Hartmann C, Winfield M, Corre F, Davey MR, Rode A, Karp A: A comparative study of the mitochondrial genome organization in *in vitro* cultures of diploid, tetraploid, and hexaploid *Triticum* species 968
 Hasnain SE → Sulaiman IM
 Hayakawa T → Nishibayashi S
 Hayes PM → Romagosa I
 He P → Lu C
 Henriques-Gil N → Benito C
 Henry JP → Lasserre F
 Herrero R, Asíns MJ, Pina JA, Carbonell EA, Navarro L: Genetic diversity in the orange subfamily Aurantioideae. II. Genetic relationships among genera and species 1327
 Herrmann RG → Busch W
 Hesemann C-U → Schmidt M
 Heslop-Harrison JS → Castilho A
 Heu M-H → Koh H-J
 Hill J → Jacobsen S-E
 Hill M, Witsenboer H, Zabeau M, Vos P, Kesseli R, Michelmore R: PCR-based fingerprinting using AFLPs as a tool for studying genetic relationships in *Lactuca* spp. 1202
 Hjerdin A → Halldén C
 Hoeschele I → Thaller G
 Hofstee ME → Gardiner SE
 Hohmann U → Busch W
 Holsten TE → Williams CE
 Hood EE → Lanoue KZ
 Hopkins MS → Brown SM
 Houben A, Brandes A, Pich U, Manteuffel R, Schubert I: Molecular-cytogenetic characterization of a higher plant centromere/kinetochore complex 477
 Hsam SLK → Zeller FJ
 Hu CY → Bodanese-Zanettini MH
 Hu J → Truco MJ
 Huang N → Lorieux M
 Huang N → Zhang G
 Hubert N → Foisset N
 Hueros G → Loarce Y
 Huestis GM → Maughan PJ
 Huet J-C → Touzet P
 Hurme P → Karhu A
 Hussey RS → Lee SH
 Hussey RS → Mian MAR
 Imamura J → Sakai T
 Inagaki A → Akagi H
 Inoue E, Marubashi W, Niwa M: Genomic factors controlling the lethality exhibited in the hybrid between *Nicotiana suaveolens* Lehm. and *N. tabacum* L. 341
 Inukai T, Zeigler RS, Sarkarung S, Bronson M, Dung LV, Kinoshita T, Nelson RJ: Development of pre-isogenic lines for rice blast-resistance by marker-aided selection from a recombinant inbred population 560
 Ishii T → Kaga A
 Islam RKML → Blake TK
 Iwabuchi M → Sakai T
 Iwata N → Yoshimura S
 Izhar S → Samoylov VM
 Jacobsen E → Bastiaanssen HJM
 Jacobsen S-E, Hill J, Stølen O: Stability of quantitative traits in quinoa (*Chenopodium quinoa*) 110
 Jahoor A → Mohler V
 Jahoor A → Schönfeld M
 Joel DM → Katzir N
 Joudrier P → Sourdille P
 Jourden C, Barret P, Brunel D, Delourme R, Renard M: Specific molecular marker of the genes controlling linolenic acid content in rapeseed 512
 Kadyrzhanova D → Blake TK
 Kadyrzhanova D → Larson SR
 Kärkkäinen K → Karhu A
 Kaga A, Ohnishi M, Ishii T, Kamijima O: A genetic linkage map of azuki bean constructed with molecular and morphological markers using an interspecific population (*Vigna angularis* × *V. nakashimae*) 658
 Kaló P → Endre G
 Kamijima O → Kaga A
 Kaneko H → Nishibayashi S
 Kapila R, Negi MS, This P, Delseny M, Srivastava PS, Lakshmikumaran M: A new family of dispersed repeats from *Brassica nigra*: characterization and localization 1123
 Karaman Z → Bernardo R
 Karchi Z → Katzir N
 Karhu A, Hurme P, Karjalainen M, Karvonen P, Kärkkäinen K, Neale D, Savolainen O: Do molecular markers reflect patterns of differentiation in adaptive traits of conifers? 215
 Karjalainen M → Karhu A
 Karp A → Hartmann C
 Karvonen P → Karhu A
 Katzir N, Danin-Poleg Y, Tzuri G, Karchi Z, Lavi U, Cregan PB: Length polymorphism and homologies of microsatellites in several Cucurbitaceae species 1282
 Katzir N, Portnoy V, Tzuri G, Castejón-Muñoz M, Joel DM: Use of random amplified polymorphic DNA (RAPD) markers in the study of the parasitic weed *Orobancha* 367
 Kawahara T → Tsumura Y
 Keim P → Shi L
 Keith DJ → Bohuon EJ
 Kellerhals M → Gianfranceschi L
 Kenny ST → Pillay M
 Kephart KD → Mercado LA
 Kervella J → Dirlwanger E
 Kesseli R → Hill M
 Khatiwada SP, Senadhira D, Carpena AL, Zeigler RS, Fernandez PG: Variability and genetics of tolerance for aluminum toxicity in rice (*Oryza sativa* L.) 738
 Khush GS → Zhang G
 Kinoshita T → Inukai T
 Kiss GB → Endre G
 Klinka A, Müller J, Wricke G: Characterization of nematode resistance genes in the section Procumbentes genus *Beta*: response to two populations of *Heterodera schachtii* 773
 Knott SA, Elsen JM, Haley CS: Methods for multiple-marker mapping of quantitative trait loci in half-sib populations 71
 Knox MR → Lu J
 Knox MR → Sharma SK
 Koh H-J, Heu M-H, McCouch SR: Molecular mapping of the *ge^s* gene controlling

- the super-giant embryo character in rice (*Oryza sativa* L.) 257
- Kohno-Murase J → Sakai T
- Koller B → Gianfranceschi L
- Koul A → Zhang XY
- Kremer A → Bodenes C
- Kresovich S → Brown SM
- Kresovich S → Szewc-McFadden AK
- Krottje PA, Wofford DS, Quesenberry KH: Heritability estimates for callus growth and regeneration in desmodium 568
- Kurata N → Yoshimura S
- Lafiandra D → D'Ovidio R
- Laigret F → Bodenes C
- Lakshmikumaran M → Kapila R
- Landgren M → Skarzhinskaya M
- Landry BS → Foisset N
- Lange CE → Bodanese-Zanettini MH
- Lange DA → Concibido VC
- Langridge PL → Blake TK
- Lannér C, Bryngelsson T, Gustafsson M: Genetic validity of RAPD markers at the intra- and inter-specific level in wild *Brassica* species with $n=9$ 9
- Lanoue KZ, Wolf PG, Browning S, Hood EE: Phylogenetic analysis of restriction-site variation in wild and cultivated *Amaranthus* species (Amaranthaceae) 722
- Laroche A → Chen Q
- Larson SR, Kadyrzhanova D, McDonald C, Sorrells M, Blake TK: Evaluation of barley chromosome-3 yield QTLs in back-cross F_2 population using STS-PCR 618
- Larson S → Blake TK
- Lascoux M, Ramstedt M, Åström B, Gullberg U: Components of resistance of leaf rust (*Melampsora larii epitea* Kleb./*Melampsora ribesii-viminalis* Kleb.) in *Salix viminalis* L. 1310
- Lashermes P, Couturon E, Moreau N, Paillard M, Louarn J: Inheritance and genetic mapping of self-incompatibility in *Coffea canephora* Pierre 458
- Lashermes P, Cros J, Combes MC, Trouslot P, Anthony F, Hamon S, Charrier A: Inheritance and restriction fragment length polymorphism of chloroplast DNA in the genus *Coffea* L. 626
- Lashermes P → Paillard M
- Lasserre F, Gigault F, Gauthier JP, Henry JP, Sandmeier M, Rivoal R: Genetic variation in natural populations of the cereal cyst nematode (*Heterodera avenae* Woll.) submitted to resistant and susceptible cultivars of cereals 1
- Laurie DA, Pratchett N, Allen RL, Hantke SS: RFLP mapping of the barley homeotic mutant *lax-a* 81
- Lauxen MS → Bodanese-Zanettini MH
- Lavi U → Katzir N
- Lavigne C, Godelle B, Reboud X, Gouyon PH: A method to determine the mean pollen dispersal of individual plants growing within a large pollen source 1319
- Lawn RJ → Roberts EH
- Le Guerroué B → Arcade A
- Lee SH, Bailey MA, Mian MAR, Carter Jr. TE, Shipe ER, Ashley DA, Parrott WA, Hussey RS, Boerma HR: RFLP loci associated with soybean seed protein and oil content across populations and locations 649
- Lefebvre D, Devaux P: Doubled haploids of wheat from wheat × maize crosses: genotypic influence, fertility and inheritance of the 1BL-1RS chromosome 1267
- Lefebvre V, Palloix A: Both epistatic and additive effects of QTLs are involved in polygenic induced resistance to disease: a case study, the interaction pepper – *Phytophthora capsici* Leonian 503
- Lerceteau E → Crouzillat D
- Leroy P → Sourdille P
- Leshem B → Bar M
- Li B, Wu R: Genetic causes of heterosis in juvenile aspen: a quantitative comparison across intra- and inter-specific hybrids 380
- Li W-M → Wu W-R
- Limin AE → Fowler DB
- Lin J-Z, Ritland K: The effects of selective genotyping on estimates of proportion of recombination between linked quantitative trait loci 1261
- Lin S-F → Lorenzen LL
- Linder CR → Rieseberg LH
- Liu B-H → Plomion C
- Liu CJ, Devos KM, Witcombe JR, Pittaway TS, Gale MD: The effect of genome and sex on recombination rates in *Pennisetum* species 902
- Liu CJ, Musial JM, Smith FW: Evidence for a low level of genomic specificity of sequence-tagged-sites in *Stylosanthes* 864
- Liu HJ → Sakai T
- Liu KD → Zhang Q
- Liu Z-W, Biyashev RM, Saghai Maroof MA: Development of simple sequence repeat DNA markers and their integration into a barley linkage map 869
- Llorente F → Benito C
- Loarce Y, Hueros G, Ferrer E: A molecular linkage map of rye 1112
- Lorenzen LL, Lin S-F, Shoemaker RC: Soybean pedigree analysis using map-based molecular markers: recombination during cultivar development 1251
- Lorieux M, Petrov M, Huang N, Guiderdoni E, Ghesquière A: Aroma in rice: genetic analysis of a quantitative trait 1145
- Louarn J → Lashermes P
- Lu C, Shen L, Tan Z, Xu Y, He P, Chen Y, Zhu L: Comparative mapping of QTLs for agronomic traits of rice across environments using a doubled haploid population 1211
- Lu J, Knox MR, Ambrose MJ, Brown JKM, Ellis THN: Comparative analysis of genetic diversity in pea assessed by RFLP- and PCR-based methods 1103
- Luo M-C, Dubcovsky J, Goyal S, Dvořák J: Engineering of interstitial foreign chromosome segments containing the K^+/Na^+ selectivity gene *Kna1* by sequential homoeologous recombination in durum wheat 1180
- Lydiat DJ → Bohuon EJR
- Mackill DJ → Yu ZH
- Mahani MC → Mariam AL
- Malpica JM → Sánchez-Monge R
- Manshardt RM → Sondur SN
- Mantet J → Beaumont VH
- Mantet J → Thormann CE
- Manteuffel R → Houben A
- Mariam AL, Zakri AH, Mahani MC, Nor-mah MN: Interspecific hybridization of cultivated rice, *Oryza sativa* L. with the wild rice, *O. minuta* Presl. 664
- Martin TJ → Talbert LE
- Martinez M, Naranjo T., Cuadrado C, Romero C: Synaptic behaviour of the tetraploid wheat *Triticum timopheevii* 1139
- Marubashi W → Inoue E
- Mathias RJ → O'Neill CM
- Maughan PJ, Saghai Maroof MA, Buss GR: Molecular-marker analysis of seed-weight: genomic locations, gene action, and evidence for orthologous evolution among three legume species 574
- Maughan PJ, Saghai Maroof MA, Buss GR, Huestis GM: Amplified fragment length polymorphism (AFLP) in soybean: species diversity, inheritance, and near-isogenic line analysis 392
- McCallum JA → Timmerman-Vaughan GM
- McCouch SR → Koh H-J
- McCouch SR → Yu ZH
- McDonald CL → Blake TK
- McDonald C → Larson SR
- McFerson JR → Szewc-McFadden AK
- McIntosh RA → Ren SX
- McMillan I → Quinton M
- McMurry S → van den Berg JH
- McNeil DL → Ahmad M
- McNicol JW → Graham J
- McNicol RJ → Graham J
- McNicol RJ → van de Ven WTG
- Mercado LA, Souza E, Kephart KD: Origin and diversity of North American hard spring wheats 593
- Mian MAR, Bailey MA, Tamulonis JP, Shipe ER, Carter Jr. TE, Parrott WA, Ashley DA, Hussey RS, Boerma HR: Molecular markers associated with seed weight in two soybean populations 1011
- Mian MAR → Lee SH
- Micheltmore R → Hill M
- Miller TE → Castilho A
- Mincione A → Bastiaanssen HJM
- Minobe Y → Yoshimura S
- Mitchell SE → Brown SM
- Mitchell SE → Szewc-McFadden AK
- Mithen R → Giamoustaris A
- Miura H, Sugawara A: Dosage effects of the three *Wx* genes on amylose synthesis in wheat endosperm 1066
- Mohler V, Jahoor A: Allele-specific amplification of polymorphic sites for

- the detection of powdery mildew resistance loci in cereals 1078
- Monforte AJ, Asíns MJ, Carbonell EA: Salt tolerance in *Lycopersicon* species. IV. Efficiency of marker-assisted selection for salt tolerance improvement 765
- Moreau N → Lashermes P
- Morera J → Crouzillat D
- Morgan CL → O'Neill CM
- Morin C → Touzet P
- Müller J → Klinke A
- Murata T → O'Neill CM
- Murigneux A → Bernardo R
- Musial JM → Liu CJ
- Nagamura Y → Yoshimura S
- Nakajima T → Nishibayashi S
- Naranjo T, Fernández-Rueda P: Pairing and recombination between individual chromosomes of wheat and rye in hybrids carrying the *ph1b* mutation 242
- Naranjo T. → Martinez M
- Navarro L → Herrero R
- Neale D → Karhu A
- Negi MS → Kapila R
- Nelson JC → Sourdille P
- Nelson RJ → Inukai T
- Nenz E, Pupilli F, Damiani F, Arcioni S: Somatic hybrid plants between the forage legumes *Medicago sativa* L. and *Medicago arborea* L. 183
- Nevo E → Crosatti C
- Nieto-Taladriz MT, Pernas M, Salcedo G, Carrillo JM: Linkage mapping of '25-kDa globulin' genes on homoeologous group-1 chromosomes of bread and durum wheat 780
- Nieto-Taladriz MT → Rodríguez-Quijano M
- Nilsson N-O → Halldén C
- Nishibayashi S, Hayakawa T, Nakajima T, Suzuki M, Kaneko H: CMV protection in transgenic cucumber plants with an introduced CMV-O *cp* gene 672
- Niwa M → Inoue E
- Noiton DAM → Gardiner SE
- Normah MN → Mariam AL
- Notteghem JL → Yu ZH
- Nurminiemi M, Rognli OA: Regression analysis of yield stability is strongly affected by companion test varieties and locations – examples from a study of Nordic barley lines 468
- Ohnishi M → Kaga A
- Olin-Fatih M: The morphology, cytology, and C-banded karyotypes of *Brassica campestris*, *B. oleracea*, and *B. napus* plants regenerated from protoplasts 414
- O'Malley DM → Plomion C
- O'Neill CM, Murata T, Morgan CL, Mathias RJ: Expression of the C₃–C₄ intermediate character in somatic hybrids between *Brassica napus* and the C₃–C₄ species *Moricandia arvensis* 1234
- Orf JH → Concibido VC
- Osborn TC → Thormann CE
- Osei J → Crouzillat D
- Paillard M, Lashermes P, Pétiard V: Construction of a molecular linkage map in coffee 41
- Paillard M → Lashermes P
- Palloix A → Lefebvre V
- Pang ECK, Halloran GM: Genetics of virulence in *Leptosphaeria maculans* (Desm.) Ces. et De Not., the cause of blackleg in rapeseed (*Brassica napus* L.) 301
- Pang ECK, Halloran GM: The genetics of blackleg [*Leptosphaeria maculans* (Desm.) Ces. et De Not.] resistance in rapeseed (*Brassica napus* L.). I. Adult-plant resistance in F₂ and first-backcross populations 932
- Pang ECK, Halloran GM: The genetics of blackleg [*Leptosphaeria maculans* (Desm.) Ces. et De Not.] resistance in rapeseed (*Brassica napus* L.). II. Seedling and adult-plant resistance as quantitative traits 941
- Pâques LE → Arcade A
- Parkin IAP → Bohuon EJR
- Parrott WA → Lee SH
- Parrott WA → Mian MAR
- Pascal T → Dirlewanger E
- Pascual L → Perfectti F
- Pecchioni N, Faccioli P, Toubia-Rahme H, Valè G, Terzi V: Quantitative resistance to barley leaf stripe (*Pyrenophora graminea*) is dominated by one major locus 97
- Peleman J → Cervera MT
- Perfectti F, Pascual L: Segregation distortion of isozyme loci in cherimoya (*Annona cherimola* Mill) 440
- Pernas M → Nieto-Taladriz MT
- Pernollet J-C → Touzet P
- Perretant MR → Sourdille P
- Peterson PA → Seo B-S
- Pétiard V → Crouzillat D
- Pétiard V → Paillard M
- Petroski R → Zhang XY
- Petrov M → Lorieux M
- Pfeiffer TW → Hadad RG
- Phillips RL → Riera-Lizarazu O
- Phillips W → Crouzillat D
- Phocas F, Colleau JJ: Genetic steady-state under BLUP selection for an infinite and homogeneous population with discrete generations 287
- Pich U → Houben A
- Pillay M, Kenny ST: Structure and inheritance of ribosomal DNA variants in cultivated and wild hop, *Humulus lupulus* L. 333
- Pillen K, Ganai MW, Tanksley SD: Construction of a high-resolution genetic map and YAC-contigs in the tomato Tm-2a region 228
- Pina JA → Herrero R
- Pitrat M → Baudracco-Arnas S
- Pittaway TS → Liu CJ
- Plaisted RL → van den Berg JH
- Plieske J → Struss D
- Plomion C, Durel C-E, O'Malley DM: Genetic dissection of height in maritime pine seedlings raised under accelerated growth conditions 849
- Plomion C, Liu B-H, O'Malley DM: Genetic analysis using trans-dominant linked markers in an F₂ family 1083
- Poneleit CG → Hadad RG
- Pong-Wong R, Woolliams JA: Estimating major gene effects with partial information using Gibbs sampling 1090
- Porceddu E → D'Ovidio R
- Portnoy V → Katzir N
- Prat D → Arcade A
- Pratchett N → Laurie DA
- Pupilli F → Cluster PD
- Pupilli F → Nenz E
- Qi A → Roberts EH
- Quellet T → Zhang XY
- Quesenberry KH → Krottje PA
- Quinton M, McMillan I: The effect of index selection on allele frequencies and future genetic gains when traits are correlated 1335
- Quiros CF → Struss D
- Quiros CF → Truco MJ
- Ragni A → Schönfeld M
- Ramanna MS → Bastiaanssen HJM
- Ramstedt M → Lascoux M
- Rand DM → Hamilton MB
- Read BJ → Brown AHD
- Reboud X → Lavigne C
- Rech EL → Aragão FJL
- Ren SX, McIntosh RA, Sharp PJ, The TT: A storage-protein marker associated with the suppressor of Pm8 for powdery mildew resistance in wheat 1054
- Renard M → Foisset N
- Renard M → Jourden C
- Ribeiro SG → Aragão FJL
- Riccardi F → Touzet P
- Richardson TE → Cato SA
- Richter SNC → Bodanese-Zanettini MH
- Riera-Lizarazu O, Rines HW, Phillips RL: Cytological and molecular characterization of oat×maize partial hybrids 123
- Rieseberg LH, Arias DM, Ungerer MC, Linder CR, Sinervo B: The effects of mating design on introgression between chromosomally divergent sunflower species 633
- Rikkerink EHA → Gardiner SE
- Rines HW → Riera-Lizarazu O
- Ritland K → Lin J-Z
- Rivoal R → Lasserre F
- Robert N, Denis J-B: Stability of baking quality in bread wheat using several statistical parameters 172
- Roberts EH, Qi A, Ellis RH, Summerfield RJ, Lawn RJ, Shanmugasundaram S: Use of field observations to characterise genotypic flowering responses to photoperiod and temperature: a soyabean exemplar 519
- Roberts PA → Veremis JC
- Rocheford TR → Beaumont VH
- Rode A → Hartmann C
- Rodriguez H → Crouzillat D
- Rodríguez-Quijano M, Nieto-Taladriz MT, Carrillo JM: Linkage mapping of prolamins and isozyme genes of the 1S'

- chromosome of *Aegilops longissima* 295
- Röbbelen G → Struss D
- Rönnberg-Wästljung AC, Gullberg U: Genetic relationships between growth characters in *Salix viminalis* grown in Sweden 15
- Rognli OA → Nurminiemi M
- Romagosa I, Ullrich SE, Han F, Hayes PM: Use of the additive main effects and multiplicative interaction model in QTL mapping for adaptation in barley 30
- Romero C → Martinez M
- Romero J → Thormann CE
- Romero MP → Benito C
- Ronald PC → Williams CE
- Ronning C → Crouzillat D
- Rose RJ → Fitter JT
- Rufener GK → Saghai Maroof MA
- Russell AC → Timmerman-Vaughan GM
- Sadowski J → Truco MJ
- Säll T → Halldén C
- Saghai Maroof MA, Yue YG, Xiang ZX, Stromberg EL, Rufener GK: Identification of quantitative trait loci controlling resistance to gray leaf spot disease in maize 539
- Saghai Maroof MA → Liu Z-W
- Saghai Maroof MA → Maughan PJ
- Saghai Maroof MA → Zhang Q
- Saito A → Cheng R
- Sakai T, Liu HJ, Iwabuchi M, Kohn-Murase J, Imamura J: Introduction of a gene from fertility restored radish (*Raphanus sativus*) into *Brassica napus* by fusion of X-irradiated protoplasts from a radish restorer line and iodacetamide-treated protoplasts from a cytoplasmic male-sterile cybrid of *B. napus* 373
- Salcedo G → Nieto-Taladriz MT
- Salcedo G → Sánchez-Monge R
- Samoylov VM, Izhar S, Sink KC: Donor chromosome elimination and organelle composition of asymmetric somatic hybrid plants between an interspecific tomato hybrid and eggplant 268
- Sánchez-Monge R, García-Casado G, Malpica JM, Salcedo G: Inhibitory activities against heterologous α -amylases and in vitro allergenic reactivity of Einkorn wheats 745
- Sandmeier M → Lasserre F
- Sanford JC → Aragão FJL
- Santos JL → Cuñado N
- Sarhan F → Fowler DB
- Sarkarung S → Inukai T
- Sasaki T → Yoshimura S
- Satovic Z, Torres AM, Cubero JJ: Genetic mapping of new morphological, isozyme and RAPD markers in *Vicia faba* L. using trisomics 1130
- Savolainen O → Karhu A
- Sawor Z → Bastiaanssen HJM
- Scambray J → Williams CE
- Schild TA, Geldermann H: Variants within the 5'-flanking regions of bovine milk-protein-encoding genes. III. Genes encoding the Ca-sensitive caseins α_{s1} , α_{s2} and β 887
- Schmidt M, Walz C, Hesemann C-U: Somaclonal variation of the mitochondrial ATPase subunit 6 gene region in regenerated triticale shoots and full-grown plants 355
- Schnell R → Crouzillat D
- Schönfeld M, Ragni A, Fischbeck G, Jahoor A: RFLP mapping of three new loci for resistance genes to powdery mildew (*Erysiphe graminis* f. sp. *hordei*) in barley 48
- Schubert I → Houben A
- Sears R → Talbert LE
- Seglias N → Gianfranceschi L
- Senadhira D → Khatiwada SP
- Senior ML → Brown SM
- Seo B-S, Peterson PA: The inveterate wanderer: study of *Enhancer* wandering on chromosome 3 in maize 151
- Shanmugasundaram S → Roberts EH
- Sharma SK, Knox MR, Ellis THN: AFLP analysis of the diversity and phylogeny of *Lens* and its comparison with RAPD analysis 751
- Sharp PJ → Ren SX
- Sharpe AG → Bohuon EJR
- Shen L → Lu C
- Shepherd KW → Blake TK
- Shi L, Zhu T, Keim P: Ribosomal RNA genes in soybean and common bean: chromosomal organization, expression, and evolution 136
- Shipe ER → Lee SH
- Shipe ER → Mian MAR
- Shoemaker RC → Lorenzen LL
- Sidorov V → Dirks R
- Sinervo B → Rieseberg LH
- Sink KC → Samoylov VM
- Skarzhinskaya M, Landgren M, Glimelius K: Production of intertribal somatic hybrids between *Brassica napus* L. and *Lesquerella fendleri* (Gray) Wats 1242
- Smith FD → Aragão FJL
- Smith FW → Liu CJ
- Smith LY → Talbert LE
- Somers DJ, Zhou Z, Bebeli PJ, Gustafson JP: Repetitive, genome-specific probes in wheat (*Triticum aestivum* L. em Thell) amplified with minisatellite core sequences 982
- Sondur SN, Manshardt RM, Stiles JJ: A genetic linkage map of papaya based on randomly amplified polymorphic DNA markers 547
- Sorrells ME → Sourdille P
- Sorrells M → Larson SR
- Sourdille P, Perretant MR, Charmet G, Leroy P, Gautier MF, Joudrier P, Nelson JC, Sorrells ME, Bernard M: Linkage between RFLP markers and genes affecting kernel hardness in wheat 580
- Souza E → Mercado LA
- Srivastava PS → Kapila R
- Stanca AM → Crosatti C
- Steele-Scott N → Fitter JT
- Steenackers M → Cervera MT
- Stiles JJ → Sondur SN
- Stølen O → Jacobsen S-E
- Stomp A-M → Häggman HM
- Storme V → Cervera MT
- Stricker C → Wang T
- Stromberg EL → Saghai Maroof MA
- Struss D, Quiros CF, Plieske J, Röbbelen G: Construction of *Brassica* B genome synteny groups based on chromosomes extracted from three different sources by phenotypic, isozyme and molecular markers 1026
- Sugawara A → Miura H
- Sulaiman IM, Hasnain SE: Random amplified polymorphic DNA (RAPD) markers reveal genetic homogeneity in the endangered Himalayan species *Meconopsis paniculata* and *M. simplicifolia* 91
- Summerfield RJ → Roberts EH
- Suzuki M → Nishibayashi S
- Świecicki WK → Baranyi M
- Szewc-McFadden AK, Kresovich S, Blik SM, Mitchell SE, McPerson JR: Identification of polymorphic, conserved simple sequence repeats (SSRs) in cultivated *Brassica* species 534
- Takano Y → Cheng R
- Talbert LE, Bruckner PL, Smith LY, Sears R, Martin TJ: Development of PCR markers linked to resistance to wheat streak mosaic virus in wheat 463
- Talbert LE → Blake TK
- Tamulonis JP → Mian MAR
- Tan Z → Lu C
- Tanksley SD → Pillen K
- Tanksley SD → Yu ZH
- Tekauz A → Graner A
- Terachi T → Yamagishi H
- Terzi V → Pecchioni N
- Tesemma T → Tsegaye S
- Thaller G, Hoeschele I: A Monte Carlo method for Bayesian analysis of linkage between single markers and quantitative trait loci. I. Methodology 1161
- Thaller G, Hoeschele I: A Monte Carlo method for Bayesian analysis of linkage between single markers and quantitative trait loci. II. A simulation study 1167
- The TT → Ren SX
- This P → Kapila R
- Thomas G → Grandclément C
- Thomas MR → Fitter JT
- Thormann CE, Romero J, Mantet J, Osborn TC: Mapping loci controlling the concentrations of erucic and linolenic acids in seed oil of *Brassica napus* L. 282
- Timmerman-Vaughan GM, McCallum JA, Frew TJ, Weeden NF, Russell AC: Linkage mapping of quantitative trait loci controlling seed weight in pea (*Pisum sativum* L.) 431
- Torres AM → Satovic Z
- Toubia-Rahme H → Pecchioni N
- Touzet P, Riccardi F, Morin C, Damerval C, Huet J-C, Pernollet J-C, Zivy M, Vienne D de: The maize two-dimensional gel protein database: towards an integrated genome analysis program 997
- Trousnot P → Lashermes P

Truco MJ, Hu J, Sadowski J, Quiros CF: Inter- and intra-genomic homology of the <i>Brassica</i> genomes: implications for their origin and evolution 1225	Walker D → Crouzillat D	ping of their coding genes in common wheat 275
Tsegaye S, Tesemma T, Belay G: Relationships among tetraploid wheat (<i>Triticum turgidum</i> L.) landrace populations revealed by isozyme markers and agronomic traits 600	Walz C → Schmidt M	Yang GP → Zhang Q
Tsumura Y, Kawahara T, Wickneswari R, Yoshimura K: Molecular phylogeny of Dipterocarpaceae in Southeast Asia using RFLP of PCR-amplified chloroplast genes 22	Wang B → Williams CE	Yen Y, Baenziger PS: Chromosomal locations of genes that control major RNA-degrading activities in common wheat (<i>Triticum aestivum</i> L.) 645
Tulmans C → Dirks R	Wang PJ → Bodanese-Zanettini MH	Yokozeki Y → Akagi H
Tzuri G → Katzir N	Wang RR-C → Zhang XY	Yoshimura K → Tsumura Y
Ukai Y → Cheng R	Wang T, Fernando RL, Stricker C, Elston RC: An approximation to the likelihood for a pedigree with loops 1299	Yoshimura S, Umehara Y, Kurata N, Nagamura Y, Sasaki T, Minobe Y, Iwata N: Identification of a YAC clone carrying the <i>Xa-1</i> allele, a bacterial blight resistance gene in rice 117
Ullrich SE → Romagosa I	Wang TY → Brown SM	Young ND → Concibido VC
Umehara Y → Yoshimura S	Warburton ML, Becerra-Velásquez VL, Goffreda JC, Bliss FA: Utility of RAPD markers in identifying genetic linkages to genes of economic interest in peach 920	Yu ZH, Mackill DJ, Bonman JM, McCouch SR, Guiderdoni E, Notteghem JL, Tanksley SD: Molecular mapping of genes for resistance to rice blast (<i>Pyricularia grisea</i> Sacc.) 859
Ungerer MC → Rieseberg LH	Weeden NF → Cheng FS	Yue YG → Saghai Maroof MA
v d Steen A → Bastiaanssen HJM	Weeden NF → Timmerman-Vaughan GM	Zabeau M → Hill M
Valè G → Pecchioni N	White AG → Gardiner SE	Zakri AH → Mariam AL
van de Ven WTG, McNicol RJ: Microsatellites as DNA markers in Sitka spruce 613	Wickneswari R → Tsumura Y	Zamir D → Eshed Y
van den Berg JH, Ewing EE, Plaisted RL, McMurry S, Bonierbale MW: QTL analysis of potato tuber dormancy 317	Widholm JM → Beaumont VH	Zeigler RS → Inukai T
van den Berg JH, Ewing EE, Plaisted RL, McMurry S, Bonierbale MW: QTL analysis of potato tuberization 307	Williams CE, Wang B, Holsten TE, Scambray J, de Assis Goes da Silva F, Ronald PC: Markers for selection of the rice <i>Xa21</i> disease resistance gene 1119	Zeigler RS → Khatiwada SP
Van Montagu M → Cervera MT	Winfield M → Hartmann C	Zeller FJ, Hsam SLK: Chromosomal location of a gene suppressing powdery mildew resistance genes <i>Pm8</i> and <i>Pm17</i> in common wheat (<i>Triticum aestivum</i> L. em. Thell.) 38
Vanden Broeck A → Cervera MT	Witcombe JR → Liu CJ	Zhang G, Angeles ER, Abenes MLP, Khush GS, Huang N: RAPD and RFLP mapping of the bacterial blight resistance gene <i>xa-13</i> in rice 65
Veremis JC, Roberts PA: Differentiation of <i>Meloidogyne incognita</i> and <i>M. arenaria</i> novel resistance phenotypes in <i>Lycopersicon peruvianum</i> and derived bridge-lines 960	Witsenboer H → Hill M	Zhang Q, Zhou ZQ, Yang GP, Xu CG, Liu KD, Saghai Maroof MA: Molecular marker heterozygosity and hybrid performance in indica and japonica rice 1218
Veremis JC, Roberts PA: Identification of resistance to <i>Meloidogyne javanica</i> in the <i>Lycopersicon peruvianum</i> complex 894	Wofford DS → Krottje PA	Zhang XY, Koul A, Petroski R, Quellet T, Fedak G, Dong YS, Wang RR-C: Molecular verification and characterization of BYDV-resistant germ plasms derived from hybrids of wheat with <i>Thinopyrum ponticum</i> and <i>Th. intermedium</i> 1033
Veremis JC, Roberts PA: Relationships between <i>Meloidogyne incognita</i> resistance genes in <i>Lycopersicon peruvianum</i> differentiated by heat sensitivity and nematode virulence 950	Wolf PG → Lanoue KZ	Zhou ZQ → Zhang Q
Vienne D de → Touzet P	Wooliams JA → Pong-Wong R	Zhou Z → Somers DJ
Visscher PM, Haley CS: Detection of putative quantitative trait loci in line crosses under infinitesimal genetic models 691	Wricke G → Klinka A	Zhu L → Lu C
Vos P → Hill M	Wu RL: Detecting epistatic genetic variance with a clonally replicated design: models for low- vs high-order nonallelic interaction 102	Zhu T → Shi L
	Wu RL: Quantitative genetic dissection of complex traits in a QTL-mapping pedigree 447	Zivy M → Touzet P
	Wu R → Li B	Zuger C → Dirlewanger E
	Wu W-R, Li W-M: Joint mapping of quantitative trait loci using F ₂ populations 1156	
	Xiang ZX → Saghai Maroof MA	
	Xu CG → Zhang Q	
	Xu Y → Lu C	
	Yamagishi H, Terachi T: Molecular and biological studies on male-sterile cytoplasm in the Cruciferae. III. Distribution of Ogura-type cytoplasm among Japanese wild radishes and Asian radish cultivars 325	
	Yamamori M, Endo TR: Variation of starch granule proteins and chromosome map-	

Acknowledgements

The editors wish to thank the following referees for their assistance and evaluation of manuscripts submitted

- | | | |
|---|---|---|
| C. Ainsworth (Cambridge, UK) | M. Heun (Köln, Germany) | V. Poysa (Harrow, Canada) |
| J.A. Anderson (Fargo, USA) | D.A. Hoisington (Mexico, Mexico) | H.J. Price (College Station TX, USA) |
| O.D. Anderson (Albany, USA) | N. Huang (Los Banos, Philippines) | F. Quetier (Versailles, France) |
| J. van Arendonk (Wageningen, Netherlands) | R. Huff (New Brunswick, USA) | C.F. Quiros (Davis, USA) |
| A. Assani (Grünbach, Germany) | M. Hühn (Kiel, Germany) | M. Röder (Gatersleben, Germany) |
| G. Backes, (Freising, Germany) | S. Hulbert (Manhattan, USA) | T. Sall (Uppsala, Sweden) |
| C.P. Baril (Gif-sur-Yvette, France) | A. Iezzoni (East Lansing, USA) | M.D. Sacristan (Berlin, Germany) |
| J.A. Birchler (Columbia, USA) | A. Jahoor (Freising, Germany) | F. Schöffel (Tübingen, Germany) |
| T. Blake (Bozeman, USA) | D. Kasarda (Albany, USA) | C.R. Sephar (Planaltina, Brazil) |
| A. Blanco (Wageningen, Netherlands) | E. Kazman (Göttingen, Germany) | V. Sheffield (Iowa City, USA) |
| J.M. Bonga (Fredericton, Canada) | P. Keim (Los Alamos, USA) | R. Shoemaker (Ames, USA) |
| P. Boudry (Velleneuve d'Ascq, France) | R. Kerr (Armindale, Australia) | J. Sherman (Durango, USA) |
| J. Buijtenen (College Station TX, USA) | S. Knapp (Corvallis, USA) | V. Shulayev (New Brunswick, USA) |
| G. Buzard (Versailles, France) | G. Kochert (Athens, USA) | V. Sidorov (Princeton, USA) |
| C. Ceoloni (Viterbo, Italy) | T.L. Kubisiak (Saucier, USA) | O.S. Smith (Johnston, USA) |
| J. Cohen (Beltsville, USA) | N. Kuchuk (Kiev, Ukraine) | C.R. Sommerville (Stanford, USA) |
| S. Cox (Manhattan, USA) | B.S. Landry (Quebec, Canada) | S. Stack (Fort Collins, USA) |
| P.B. Cregan (Beltsville, USA) | N. Larsen (Madison, USA) | S.D. Tanksley (Ithaca, USA) |
| A. Delgado-Salinas (Mexico, Mexico) | W. Link (Göttingen, Germany) | M.R. Thomas (Köln, Germany) |
| M. Delseny (Perpignan, France) | D.J. Mackill (Davis, USA) | R. Töpfer (Siebeldingen, Germany) |
| K. Devos (Norwich, UK) | C. Magill (College Station TX, USA) | F. Toniton (Bozeman, USA) |
| J.F. Doebley (St. Paul, USA) | S.R. McCrouch (Ithaca, USA) | H. Tsujimoto (Yokohama, Japan) |
| G. Forkman (Freising, Germany) | J. Medraus (Davis, USA) | N.A. Tuleen (College Station TX, USA) |
| B. Foroughi-Wehr (Grünbach, Germany) | V. Mohler (Freising, Germany) | A. Vershinin (Norwich, UK) |
| M.G. Fortin (Quebec, Canada) | J. Müller (Münster, Germany) | J.M. Vogel (Wilmington, USA) |
| B. Friebe (Manhattan, USA) | D. Mulcahy (Amherst, USA) | B. Walsh (Tucson, USA) |
| A. Fritz (College Station TX, USA) | T. Naranjo (Madrid, Spain) | N.F. Weeden (Geneva, USA) |
| D. Froberg (Fago, USA) | D.B. Neale (Berkeley, USA) | C.G. Williams (College Station TX, USA) |
| C. Gillies (Sydney, Australia) | D.M. O'Malley (Raleigh, USA) | Y. Yen (Lincoln, USA) |
| A. Graner (Grünbach, Germany) | T.C. Osborn (Madison, USA) | N. Young (St. Paul, USA) |
| M. Grossman (Urbana, USA) | B. Park (College Station TX, USA) | F. Zeller (Freising, Germany) |
| N. Halford (Long Ashton, UK) | I. Parkin (Norwich, UK) | Y. Zhang (Baltimore, USA) |
| W. Hanna (Tifton, USA) | A.H. Paterson (College Station TX, USA) | G.Y. Zhong (Johnston, USA) |
| V. Hemleben (Tübingen, Germany) | G.A. Penner (Saskatoon, Canada) | E. Zyprian (Siebeldingen, Germany) |
| | N. Polans (Dekalb, USA) | |

as well as the assistance of Mrs. Ritta Wehrer at the editorial office.